

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/11/2013 Revision date: 09/19/2016

Supersedes: 12/11/2013

Version: 1.1

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Acetic Acid, 30% v/v (3+7)
Product code	: LC10260
	stance or mixture and uses advised against
Use of the substance/mixture	: For laboratory and manufacturing use only
1.3. Details of the supplier of the safety	data sheet
LabChem Inc Jackson's Pointe Commerce Park Building 1000 Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.com), 1010 Jackson's Pointe Court
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 or 011-703-527-3887
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or n	
GHS-US classification	
Skin corrosion/irritation Category 1C Serious eye damage/eye irritation Category 1 Hazardous to the aquatic environment - Acute H Full text of H statements : see section 16	H314 H318 Iazard Category 3 H402
-	
2.2. Label elements	
GHS-US labeling	
	: GHS05
GHS-US labeling Hazard pictograms (GHS-US)	: GHS05 : Danger
GHS-US labeling	
GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	DangerH314 - Causes severe skin burns and eye damage
GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	 Danger H314 - Causes severe skin burns and eye damage H402 - Harmful to aquatic life P260 - Do not breathe mist, vapors, spray P264 - Wash exposed skin thoroughly after handling P273 - Avoid release to the environment P280 - Wear protective gloves, eye protection P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center or doctor/physician P363 - Wash contaminated clothing before reuse P405 - Store locked up P501 - Dispose of contents/container to comply with local, state and federal regulations
GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)	 Danger H314 - Causes severe skin burns and eye damage H402 - Harmful to aquatic life P260 - Do not breathe mist, vapors, spray P264 - Wash exposed skin thoroughly after handling P273 - Avoid release to the environment P280 - Wear protective gloves, eye protection P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center or doctor/physician P363 - Wash contaminated clothing before reuse P405 - Store locked up P501 - Dispose of contents/container to comply with local, state and federal regulations

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substance Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Water	(CAS No) 7732-18-5	69.69	Not classified
Acetic Acid	(CAS No) 64-19-7	30.31	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402

Full text of hazard classes and H-statements : see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor/physician.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after eye contact	: Causes serious eye damage.
4.3. Indication of any immediate medical	attention and special treatment needed
Obtain medical assistance.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
0 0	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
0 0	: Do not use a heavy water stream.
с с	
5.2. Special hazards arising from the subs	
Reactivity	: Thermal decomposition generates : Corrosive vapors.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measure	Ires
6.1. Personal precautions, protective equi	
· · · · · · · · · · · · · · · · · · ·	: Safety glasses. Gloves. Protective clothing.
	: Evacuate unnecessary personnel.
Emergency procedures	. L'acuale unnecessary personnel.
6.1.2. For emergency responders	
	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.
6.3. Methods and material for containment	t and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. **Reference to other sections**

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe mist, vapors, spray.
Hygiene measures	: Wash exposed skin thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible products	: Strong oxidizers. metals. Strong bases.
Incompatible materials	: Sources of ignition. Direct sunlight.

: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Acetic Acid (64-19-7	7)	
ACGIH	ACGIH TWA (ppm)	10 ppm (Acetic acid; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	ACGIH STEL (ppm)	15 ppm (Acetic acid; USA; Short time value; TLV - Adopted Value)
OSHA	OSHA PEL (TWA) (mg/m ³)	25 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	10 ppm
IDLH	US IDLH (ppm)	50 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	25 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	10 ppm
NIOSH	NIOSH REL (STEL) (mg/m ³)	37 mg/m ³
NIOSH	NIOSH REL (STEL) (ppm)	15 ppm
Water (7732-18-5)		
Not applicable		

8.2. **Exposure controls**

Appropriate engineering controls

Personal protective equipment

Hand protection

Skin and body protection

Respiratory protection

Other information

Eye protection

- : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- : Safety glasses. Gloves. Protective clothing.



- : Wear protective gloves.
- Chemical goggles or face shield. :
- Wear suitable protective clothing. ÷
- Wear appropriate mask. :
- : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on ba	asic physical and chemical properties	
Physical state	: Liquid	
Color	: Colorless	
Odor	: Vinegar odour	
Odor threshold	: No data available	
09/19/2016	EN (English US)	3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1.04 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 1.6 cSt
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Thermal decomposition generates : Corrosive vapors.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
Reacts violently with (some) bases: release of heat.		
10.4. Conditions to avoid		
Direct sunlight. Extremely high or low temperatures.		
10.5. Incompatible materials		
Strong oxidizers. metals. Strong bases.		
10.6. Hazardous decomposition products		
Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapors.		
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Likely routes of exposure : Inhalation; Skin and eye contact		
Acute toxicity : Not classified		

Acetic Acid (64-19-7)	
LD50 oral rat	3310 mg/kg body weight (Rat; Other; Read-across)
ATE US (oral)	3310.000 mg/kg body weight
Water (7732-18-5)	
LD50 oral rat	≥ 90000 mg/kg
ATE US (oral)	90000.000 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after eye contact	: Causes serious eye damage.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

12.2. Persistence and degradability	
Acetic Acid, 30% v/v (3+7)	
Persistence and degradability	Not established.
Acetic Acid (64-19-7)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.6 - 0.74 g O₂/g substance
Chemical oxygen demand (COD)	1.03 g O₂/g substance
ThOD	1.07 g O₂/g substance
Water (7732-18-5)	
Persistence and degradability	Not established.
I2.3. Bioaccumulative potential	
Acetic Acid, 30% v/v (3+7)	
Bioaccumulative potential	Not established.
Acetic Acid (64-19-7)	
BCF fish 1	3.16 (BCF; Pisces)
Log Pow	-0.17 (Experimental value; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Water (7732-18-5)	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

Acetic Acid (64-19-7)	
Surface tension	0.028 N/m (20 °C)
Log Koc	log Koc,0.06; QSAR
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.

12.5. Other adverse effects	
Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.
Other information	: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	: Avoid release to the environment.	
22/42/2242		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN2790 Acetic acid solution (with more than 10 percent and less than 50 percent acid, by mass), 8, III
UN-No.(DOT)	: UN2790
Proper Shipping Name (DOT)	: Acetic acid solution
	with more than 10 percent and less than 50 percent acid, by mass
Transport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 8 - Corrosive
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672) T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel
Other information	: No supplementary information available.

SECTION 15: Regulatory information		
15.1. US Federal regulations		
Acetic Acid, 30% v/v (3+7)		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Acetic Acid (64-19-7)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb

15.2. International regulations		
CANADA		
Acetic Acid, 30% v/v (3+7)		
WHMIS Classification	Class E - Corrosive Material	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acetic Acid (64-19-7)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class B Division 3 - Combustible Liquid Class E - Corrosive Material
Water (7732-18-5)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

EU-Regulations

No additional information available

National regulations

Acetic Acid (64-19-7)	
Listed on the Canadian IDL (Ingredient Disclosure List)	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information			
Revisio	n date	: 09/19/2016	
Other in	nformation	: None.	
Full tex	t of H-phrases: see section 16:		
	H226	Flammable liquid and vapor	
	H314	Causes severe skin burns and eye damage	
	H318	Causes serious eye damage	
	H402	Harmful to aquatic life	
NFPA I	nealth hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard :		: 0 - Materials that will not burn.	
NFPA ı	reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating			
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flamma	ability	: 0 Minimal Hazard - Materials that will not burn	
Physica	al	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
Person	al protection	: H	
		H - Splash goggles, Gloves, Synthetic apron, Vapor respirator	

SDS US LabChem

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.